

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <u>http://about.jstor.org/participate-jstor/individuals/early-journal-content</u>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

direction of the stockyards—but I have never happened to see any returning in the evening.

AGNES CHASE, Hyde Park, Chicago.

A Bob-White Tragedy.—The lower animals as well as man are subject to many ills and accidents. This is well illustrated by the number of incidents which are noted in natural history magazines. Instinct, it is true, has taught them much, yet nevertheless, they are constantly in danger of their lives.

One day last spring (April 20, 1902), while tramping the woods and fields north of Detroit, we saw an object hanging to a wire fence. Upon nearing it, it proved to be a female Bob-white (Colinus virginianus). The right foot had become tangled in a loop in the wire, and in trying to escape, the bird had disarticulated the leg bone from the hip. Here it must have hung for hours until death at last relieved it of its tortures. Who can imagine the pain which this creature must have suffered?

On a log a short way from the scene sat a male of this species, possibly its mate. Across the fields rang a gentle "Bob-white, a Bob-white," and as I paused I thought, "Ignorance is bliss."

A. W. BLAIN, Jr., Detroit, Mich.

PUBLICATIONS RECEIVED.

The Story of a Martin Colony.-By J. Warren Jacobs. This, the second of a series of ilustrated pamphlets based on the author's researches and observations, the first being issued in 1898 under the title of Oological Abnormalities; is a record of the establishment and maintenance of a colony of four or five pairs of Purple Martins at the writer's home in Waynesburg, Green County, Penn., and of its subsequent increase until it numbered almost three hundred individuals at the end of the fourth season-more than could obtain lodging in the ninety-nine rooms of the three houses, over one hundred being compelled to roost in the branches of a nearby apple tree. The next three years witnessed an annual overflow, accommodated by new houses furnished and erected by his experienced hand in various parts of the town. If the colony had remained intact it would in all probability have numbered in the neighborhood of twelve hundred birds at the end of the seventh year.

After the introduction, the subtitles are as follows: Topographical Sketch and Existing Conditions of the Premises and Vincity, Establishment and Subsequent Scenes of the Colony, Return from the South, Nest Building, Deposition and Number of Eggs, Incubation, The Growing Young and the Parent's Care, Something about their Food, Their Enemies, Causes of Death, etc. Off to the South, A Chapter on a Cabinet Series of Their Eggs, On the Construction of Houses.

The period of incubation is found to be from twelve to fifteen days, the female apparently attending to this duty exclusively, and twenty-four to twenty-eight days elapses before the young take flight. Seven years records show about eleven hundred and fifty eggs deposited and about eight hundred and fifty young reaching maturity, or rather, taking flight from home nest-almost 74 per cent! A remarkable showing for so large a colony of birds. It is interesting to note that in nearly every instance a wall of mud was built around the front of the entrance, on the inside. One would wish, perhaps, for more detailed plans and specifications for building their homes, but after all the main points appear to be compartments about 5 inches square and 6 inches high, with a single entrance two and a half inches square or two and three-quarters inches in diameter if round, and the whole elevated twelve or more feet above the ground on a pole or gas-pipe. Constant attention during the nesting period, with frequent use of the gun on the cats and sparrows, and an occasional appeal to the law when the disturbers belonged to that class termed "shooters" well named and far too common as well; was no small part of the price paid for this splendid mass of strenuous bird life. In this paper of twenty-four pages, Mr. Jacobs has, in a dignified manner, given the lie to the mere sentimentalist who would brand every egg collected as a sordid distroyer of life without a redeeming feature. It should be in the F. L. B. hands of every bird lover.

The Birds of North and Middle America.—By Robert Ridgway. Part II. Bull. No. 50, U. S. Nat. Mus., Washington, 1902.

This is the second of the eight volumes which we are promised, and fully maintains the high standard of the first volume. In the 834 pages of text the following families and number of species under each are fully treated: Tanagridæ, 112; Icteridæ, 111; Cœrebidæ, 29; Mniotiltidæ, 181. We await with great interest and some impatience the appearance of the other six parts, which are promised at the rate of two each year. L. J.

The Metallic Feathers from the Neck of the Domestic Pigeon. By R. M. Strong, Ph.D.

Reprint from the Biological Bulletin, Vol. III, Nos. 1 and 2, 1902.

A Case of Abnormal Plumage. By R. M. Strong, Ph.D.

Reprint from Biological Bulletin, Vol. III, No. 6, November, 1902.

The Development of Color in the Definitive Feather. By R. M. Strong, Ph.D.